

UbiBot <sup>®</sup> SP1-WiFi is a cloud-supported smart plug that enables full control of connected appliances via WiFi connection according to the environmental conditions. The smart plug supports physical control (via button), user-operated remote control (via App), and fully automatic schedule.

Smart Plug SP1-WiFi can make ordinary appliances connected to the Internet of Things and become intelligent. Smart Plug SP1 can be connected to UbiBot <sup>®</sup> IoT Platform. The working status, timing and linkage of other connected devices can be set on the platform to achieve intelligence.

Smart Plug SP1-WiFi can connect a variety of external probes with which it can monitor the environmental conditions and



synchronize real-time data to the UbiBot cloud platform using WiFi connection. This allows users access to both real-time and historical data through the UbiBot App or Web Console platform from anywhere in the world. With the automation rules you set, Smart Plug SP1-WiFi can power on/off the appliances connected with it automatically according to the environmental conditions. For example, it can turn on the fan when the temperature is higher than 26 °C. It can also trigger alerts when any metrics go out of the preset range.

### **FEATURES**

- · WiFi-enabled wireless remote control and fully automatic control
- New international safety standards child protection design; 750 °C high temperature flame resistant material
- · Scheduling, timer, countdown, and linkage control to automatically power on/off connected appliances
- $\cdot$  External probes are supported to realize real-time environmental monitoring and automatic power on/off according to the environmental conditions
- · Voltage, Current, Power, Cumulative Electricity Consumption monitoring
- · 2.4 GHz WiFi network connection, no hubs or gateways required
- · Working with IFTTT, Alexa, Google Assistant, Google Sheet
- · Free App & Web Console to access and monitor real-time data remotely, no subscription fee
- · Unlimited UbiBot cloud storage for historical data; free historical data export
- · Multiple ways of receiving real-time alerts: App notifications, emails, phone calls, SMS, HTTP
- · Easy setup with free UbiBot App or PC tools

 $\cdot$  With a capacity of 300,000 records, the memory stores all data even if WiFi is temporarily disconnected, ensuring there are no gaps in the data history

· Compliance with CE, FCC, IC, RoHS

### **MULTINATIONAL STANDARDS**




European Standard



**French Standard** 





American Standard

**British Standard** 



### **EXTERNAL PROBES & ACCESSORIES**

With splitters, UbiBot<sup>®</sup> SP1-WiFi supports multiple RS485 probes and 1 x DS18B20-Audio Temperature Probe:

- DS18B20-Audio Temperature Probe
- TH30S-B Temperature and Humidity Probe
- Soil Temperature and Moisture Sensor
- PT 100 Industrial-grade Temperature Probe
- Wind Speed Sensor
- CO2 Probe

### **External Probes**


- · DS18B20-Audio Temperature Probe
- · TH30S-B Temperature and Humidity Probe
- · Soil Temperature and Moisture Sensor
- · PT 100 Industrial-grade Temperature Probe
- · Wind Speed Sensor
- · CO2 Probe

### **Accessories**

 $\cdot$  UbiBot Audio Plug Splitter for connecting

external probes

- UbiBot Audio Splitter 1 male to 6 females for connecting external probes
- · External Probe Extender Audio Plug



#### NOTE: For RS485 probes, only one of each type can be connected at a time.



# **SPECIFICATIONS**

Technical specifications	
Working Voltage	100 V - 250 V AC
Maximum Current	16 A
Maximum Power	3.5kW MAX (@220V $\pm$ 10%)/1.7kW MAX (@110V $\pm$ 10%)
Power dissipation	≤0.1 W
Measuring Accuracy	$\pm$ 0.1 V, $\pm$ 0.01 A, $\pm$ 0.1 W
Working Environment	-10°C to 60°C ( 14 °F to 140 °F )
Plug Standard	Compatible with Europe, UK, US, France, China standards
Network connection	
WiFi	2.4GHz or 2.4/5GHz, channels 1-13 (5GHz WiFi NOT supported)
Physical specifications	
Materials	Flame resistant ABS & PC
Dimensions	6.4 x 11.7 x 3.5 cm
Weight	50 g (±3 g)
Colour	White
Ports	1 x DS18B20 Audio; 1 x RS485 Audio
External probes	
	1 x DS18B20 temperature probe, multipal RS485probe (TH30S-B, Soil Probe,
External probes	PT-100, Wind Speed Sensor, CO2 Probe; only one of each type can be
	connected at a time)

# **UbiBot Cloud IoT Platform**



**Data Management:** Manage all your IoT data in one place; you could add as many devices as you want to one UbiBot account.

**Unlimited Storage:** Unlimited cloud-based storage ensures you will never run out of space. This allows you to view all your historical data via UbiBot App or Web.

Free App & Web Console: Using UbiBot App and Web Console is free. Powerful and thoughtful features provide you brilliant experience.

**Analysis and Visualization:** Use powerful analysis and visualization tools to get the most out of your data; spot trends and direct comparisons.

**Real-Time Alerts:** Fully customizable alert system will notify you via **App notifications, emails, phone** call/SMS, HTTP whenever any metric goes out of the range preset.

**Highly Secure Platform:** UbiBot IoT platform is designed to keep all your data secure so you never have to worry about hackers or other security issues.

Third-Party Services: Working with IFTTT, Alexa, Google Assistant, Google Sheet Compliant with FDA CFR21